



Hewlett Packard
Enterprise

HPE Content Component

Software Version: 11.3.0

Release Notes

Document Release Date: February 2017

Software Release Date: February 2017

Legal Notices

Warranty

The only warranties for Hewlett Packard Enterprise Development LP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HPE shall not be liable for technical or editorial errors or omissions contained herein.

The information contained herein is subject to change without notice.

Restricted Rights Legend

Confidential computer software. Valid license from HPE required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Copyright Notice

© Copyright 2017 Hewlett Packard Enterprise Development LP

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

This product includes an interface of the 'zlib' general purpose compression library, which is Copyright © 1995-2002 Jean-loup Gailly and Mark Adler.

Documentation updates

The title page of this document contains the following identifying information:

- Software Version number, which indicates the software version.
- Document Release Date, which changes each time the document is updated.
- Software Release Date, which indicates the release date of this version of the software.

To check for recent software updates, go to <https://downloads.autonomy.com/productDownloads.jsp>.

To verify that you are using the most recent edition of a document, go to <https://softwaresupport.hpe.com/group/softwaresupport/search-result?doctype=online help>.

This site requires that you register for an HPE Passport and sign in. To register for an HPE Passport ID, go to <https://hpp12.passport.hpe.com/hppcf/login.do>.

You will also receive updated or new editions if you subscribe to the appropriate product support service. Contact your HPE sales representative for details.

Support

Visit the HPE Software Support Online web site at <https://softwaresupport.hpe.com>.

This web site provides contact information and details about the products, services, and support that HPE Software offers.

HPE Software online support provides customer self-solve capabilities. It provides a fast and efficient way to access interactive technical support tools needed to manage your business. As a valued support customer, you can benefit by using the support web site to:

- Search for knowledge documents of interest
- Submit and track support cases and enhancement requests
- Access product documentation
- Manage support contracts
- Look up HPE support contacts
- Review information about available services
- Enter into discussions with other software customers
- Research and register for software training

Most of the support areas require that you register as an HPE Passport user and sign in. Many also require a support contract.

To register for an HPE Passport ID, go to <https://hpp12.passport.hpe.com/hppcf/login.do>.

To find more information about access levels, go to <https://softwaresupport.hpe.com/web/softwaresupport/access-levels>.

To check for recent software updates, go to <https://downloads.autonomy.com/productDownloads.jsp>.

Contents

New in this Release 5

Resolved Issues 6

Documentation 7

New in this Release

This section lists the enhancements to HPE Content Component version 11.3.0.

- The `GetQueryTagValues` action now accepts the `Predict` parameter. You can set `Predict` to `True` to estimate the parametric value counts for the matching documents, when the total number of matching documents is larger than the configured threshold. This option can improve the performance for large queries. You cannot set `Predict` to `True` if you want to use the `QuerySort` parameter.

You can use the new `ParametricResultsPredictionThreshold` and `ParametricResultsPredictionThresholdPercentage` configuration parameters to specify the sample size to use when predicting the total threshold. If you do not set these parameters, Content uses the value of the `TotalResultsPredictionThreshold` parameter.

NOTE:

If you want to use prediction with `GetQueryTagValues` in a system with a DAH, you must also update the DAH to version 11.3.0 or later.

- When you set `Predict` to `True` on a request (for `Query`, `Suggest`, `SuggestOnText`, or `GetQueryTagValues`), Content now returns an `<autn:predicted>` tag in the response to indicate whether it used prediction. This tag contains a Boolean value, which is `True` if the query matched enough documents to reach the prediction threshold. If the prediction threshold was not reached and the values are exact, `<autn:predicted>` contains the value `False`.
- The `NormalizeReferences` parameter has been added. By default, Content normalizes references to make them case insensitive and convert back slash characters to forward slashes. You can set `NormalizeReferences` to `False` in the `[Server]` section if you do not want to normalize references, for example because you want to use case sensitive references for your documents. In this case, references must be identical to match.
- Support has been added for the Tetum language, including support for automatic language detection.
- The `Combine` operation on `ReferenceType` fields has been optimized for the `GetQueryTagValues` action.
- The `SSLCipherSuite` configuration parameter has been added. You can use this parameter to set an explicit list of ciphers to allow, or to disallow specific ciphers.
- The `SSLMethod` configuration parameter option `SSLV23` has been renamed to `Negotiate`. This option means that the server uses the highest available protocol in its SSL/TLS connections. The `SSLV23` name is still available, but might be deprecated in future.

Resolved Issues

This section lists the resolved issues in HPE Content Component version 11.3.0.

- When `XMLFullStructure` was set to `True`, performing an `ARRANGE FieldText` operation on a `SortType` field and then indexing any file could result in spurious sortfield files being created. Sending the same query again then loaded the files, resulting in excessive memory use.
- In some circumstances, optimized `MATCHCOVER` queries could be slower than expected.
- `AgentBoolean` rules that contained hyphenated terms could fail to match against `TextParse` documents.
- Content was able to retrieve a license from IDOL License Server only if the license was retrieved within one minute.
- Field name matching for field restrictions in `Query` parameters could sometimes match incorrect fields.
- When using very long input text (more than approximately 32000 terms) on an agent `Query`, some `Wildcard` terms in an `AgentBoolean` rule (specifically, those with non-leading `Wildcards`) could fail to match. This could also affect the `Highlight` action with `Boolean` set to `True`.
- When the `IndexCacheFlushPause` parameter was configured, Content would sometimes pause unnecessarily when very small amounts of data were being flushed.

Documentation

The following documentation was updated for this release.

- *IDOL Expert*
- *IDOL Getting Started Guide*
- *IDOL Server Reference*
- *IDOL Content Component Reference*
- *IDOL Server Administration Guide*